

**Amendments to the Claims:**

This listing of claims will replace all prior listings claims in the application.

**Claim 1. (original).** A registering method for registering a communication apparatus which has not yet been registered, comprising:

a restriction step for restricting a transmission of a signal transmitted from a communication apparatus which has already been registered in a registration mode for registering the communication apparatus which has not yet been registered.

**Claim 2. (original).** A registering method as claimed in claim 1 wherein:  
said restriction step restricts a transmission of a signal used to produce an outgoing call from the communication apparatus which has already been registered in said registration mode.

**Claim 3. (original).** A registering method as claimed in claim 1 wherein:  
said restriction step restricts the transmission of the signal from the communication apparatus which has already been registered in response to a base station signal which is transmitted by a base station in the registration mode.

**Claim 4. (original).** A registering method as claimed in claim 1 wherein:  
in said restriction step, a base station transmits a base station signal for restricting the transmission of the signal from the communication apparatus which has already been registered in the registration mode.

**Claim 5. (currently amended).** A registering method as claimed in claim 1 wherein:

in said restriction step, a base station transmits any one of a first base station signal and a second base station signal depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which has already been registered; and said second base station signal

is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

**Claim 6. (original).** A registering method as claimed in claim 1 wherein:  
in said restriction step, the communication apparatus which has already been registered sets a restriction mode for restricting the transmission of the signal in response to a base station signal which is transmitted by a base station in the registration mode.

**Claim 7. (original).** A registering method as claimed in claim 1 wherein:  
in said restriction step, the communication apparatus which has already been registered restricts the transmission of the signal in response to a base station signal which is transmitted by a base station in accordance with an instruction for setting the registration mode issued from a host which is connected via a public line.

**Claim 8. (original).** A registering method as claimed in claim 1 wherein:  
said signal, the transmission of which is restricted in said restriction step, is transmitted upon releasing of the registration mode.

**Claim 9. (original).** A communication system in which a base station transmits a base station signal, and a communication apparatus which has not yet been registered performs a communication for registration between the communication apparatus and the base station, wherein:

a communication apparatus which has already been registered restricts a transmission of a signal in response to a base station signal which is transmitted from the base station in a mode for registering the communication apparatus which has not yet been registered.

**Claim 10 (currently amended).** A communication system as claimed in claim 9 wherein:

a base station transmits any one of a first base station signal and a second base station signal depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which

has already been registered; and said second base station signal is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

①  
**Claim 11. (original).** A communication system as claimed in claim 9 wherein:  
the communication apparatus which has already been registered restricts the transmission of the signal in response to a base station signal which is transmitted by a base station in accordance with an instruction for setting the registration mode issued from a host which is connected via a public line.

B3  
**Claim 12. (original).** A base station comprising:  
communication means for performing a communication for a registration between the communication means and a communication apparatus which has not yet been registered;  
and

transmission means for transmitting a base station signal used to restrict a transmission of a signal from a communication apparatus which has already been registered in a mode for registering the communication apparatus which has not yet been registered.

**Claim 13. (currently amended).** A base station as claimed in claim 12 wherein:  
said transmission means transmits any one of a first base station signal and a second base station signal depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which has already been registered; and said second base station signal is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

**Claim 14. (original).** A base station as claimed in claim 12 wherein:  
said transmission means transmits a base station signal which restricts the transmission of the signal from the communication apparatus which has already been registered in accordance with an instruction for setting the registration mode issued from a host which is connected via a public line.

**Claim 15. (original).** A communication apparatus comprising:

communication means for performing a communication of a registration between the communication means and a base station in response to a base station signal; and

restriction means for restricting a transmission of a signal when the registration has already been accomplished in response to a base station signal transmitted from the base station in a mode for registering a communication apparatus which has not yet been registered.

**Claim 16. (original).** A program used for a base station, or a storage medium for storing therein said program, comprising:

a first program step for performing a communication for registration between the base station and a communication apparatus which has not yet been registered; and

a second program step for transmitting a base station signal used to restrict a transmission of a signal from a communication apparatus which has already been registered in a mode used for registering a communication apparatus which has not yet been registered.

**Claim 17. (currently amended).** A program, or a storage medium as claimed in claim 16 wherein:

in said second program step, any one of a first base station signal and a second base station signal is transmitted depending on whether or not the registration mode is set; said first base station signal is used to restrict the transmission of the signal from the communication apparatus which has already been registered; and said second base station signal is used not to restrict the transmission of the signal from the communication apparatus which has already been registered.

**Claim 18. (original).** A program, or a storage medium as claimed in claim 16 wherein:

in said second program step, in response to an instruction for setting a registration mode issued from a host connected via a public line, a base station signal is transmitted which restricts a transmission of a signal from a communication apparatus which has not yet been registered.

**Claim 19. (original).** A program used for a communication apparatus, or a storage medium for storing therein said program, comprising:

① a first program step for performing a communication for registration between the communication apparatus and a base station in response to a base station signal; and

a second program step for restricting a transmission of a signal when a registration has already been completed in response to a base station signal transmitted from a base station in a mode for registering a communication apparatus which has not yet been registered.

B3 **Claim 20. (original).** A communication system comprising a communication apparatus and a base station, wherein:

said base station is connected via a public line to a host, and transmits a base station signal in response to a request issued from the host; and

said communication apparatus restricts a transmission of a signal in response to a base station signal.

**Claim 21. (original).** A communication system as claimed in claim 20 wherein: said base station selects any one of a first base station signal and a second base station signal; said first base station signal restricts a transmission of a signal from a communication apparatus; and said second base station signal does not restrict the transmission of the signal from the communication apparatus.

**Claim 22. (original).** A base station comprising:  
reception means for receiving a request issued from a host connected via a public line to said base station; and

transmission means for transmitting a base station signal for restricting a transmission of a signal from a communication apparatus in response to the request issued from said host.

**Claim 23. (original).** A base station as claimed in claim 22 wherein:

01  
said transmission means selects any one of a first base station signal and a second base station signal; said first base station signal restricts a transmission of a signal from a communication apparatus; and said second base station signal does not restrict the transmission of the signal from the communication apparatus.

B3  
**Claim 24. (original).** A signal transmission restricting method comprising:  
a reception step for receiving a request issued from a host connected via a public line to said base station; and  
a transmission step for transmitting a base station signal for restricting a transmission of a signal from a communication apparatus in response to the request issued from said host.

**Claim 25. (original).** A signal transmission restricting method as claimed in claim 24 wherein:

said transmission step selects any one of a first base station signal and a second base station signal; said first base station signal restricts a transmission of a signal from a communication apparatus; and said second base station signal does not restrict the transmission of the signal from the communication apparatus.

**Claim 26. (original).** A signal transmission restricting program, or a storage medium for storing therein said program, comprising:

a first program step for receiving a request issued from a host connected via a public line; and

a second program step for transmitting a base station signal for restricting a transmission of a signal from a communication apparatus in response to said request issued from the host.

**Claim 27. (original).** A signal transmission restricting program, or a storage medium as claimed in claim 26 wherein:

said second program step selects any one of a first base station signal and a second base station signal; said first base station signal restricts a transmission of a signal from a

Appl. No. 09/904,628

Paper dated May 15, 2003

B3  
C communication apparatus; and said second base station signal does not restrict the transmission of the signal from the communication apparatus.

---